Product data sheet
9012 ATT

EAN-No. 4000896**234738**

Angled · L x W x H: 85 mm x 64 mm x 227 mm · Loosening torque maximum [Nm]: 550 Nm · 12.5 ½ · Powerful twin hammer mechanism



Application:
Operating brake calliper screw connections as well as other hard-to-reach screw-joints

- Loosening torque maximum [Nm]: 550 Nm
- Exhaust air is guided through the handle downwards
- Reduced vibrations
- Easy handling
- Handle / trigger adjustable around its own axis for optimal handling allows operation in any position
- Swivel mechanism for extended application range guarantees best accessibility
- Short, compact, angled design – only 70 mm
- One-hand operation for left- and right-handed users
- Powerful twin hammer mechanism
- Air connection inlet: inside thread (IG) 12.91 mm (1/4″)
- Coupler plug: Nominal size 7.2 (included)
- Recommended torque: 450 Nm
- Hose diameter (recommended): 10 mm
- Working pressure (bar): 6.3
- Sound power level: 101.1 db(A) Lp W
- Vibration acceleration: 4.89 m/s2
- Loosening torque (maximum) determined with screw size M: 16
- Forward and reverse: single-stage (right/left)
- Cold insulated handle
- Output: 12.5 ½
- Dimensions: 85 mm x 64 mm x 227 mm
- Net weight: 1.3 kg
- For impact operation
- Tightening torque maximum [Nm]: 500 Nm
- Loosening torque maximum [Nm]: 550 Nm

HAZET-WERK – Hermann Zerver GmbH & Co. KG · 10 04 61 · 42804 Remscheid
Güldenwerther Bahnhofstrasse 25 – 29 · 42857 Remscheid · GERMANY

Product data sheet
9012 ATT EAN-No. 4000896**234738**

- Sound pressure level: 90.1 dB(A) Lp A
- Revolutions per minute: 8000
- Air requirement: 113 l/min (1.9 l/sec)

Order Number	9012 ATT
Handle	Cold insulated handle

HAZET-WERK – Hermann Zerver GmbH & Co. KG · ✉ 10 04 61 · 42804 Remscheid
Güldenwerther Bahnhofstrasse 25 – 29 · 42857 Remscheid · GERMANY