Product data sheet 6392-320 V EAN-No. 4000896145911



Factory preset value · Length: 631 mm · Torque range min-max: 60 – 320 Nm · Accuracy: 2 % · 🔤 ·



Application:

Especially suitable for industrial application and use in series production

- Trigger value preset at the factory as requested
- Accuracy ± 2% (6391-10: 6%) of the preset value (in direction of actuation)

 Can be used for right-hand and left-hand threads by turning the insert tool
- Universally applicable thanks to plug connection, for holding insert tools
- · Permanently adjustable value
- Adjusting the desired torque value with adjustment wrench 6399 in conjunction with HAZET torque tester 7901E · 7902E · 7903E or another suitable device
- · All wrenches of this series (HAZET 6391-6392) are without an adjusting scale
- · With calibration certificate and serial number
- DIN EN ISO 6789-2:2017
- Made in Germany
- Output: 🖽
- Dimensions: 631 mm
- Net weight: 1.1 kg
- For manual operation
- Torque range min-max: 60 320 Nm
- Accuracy: 2 %
- Effective torque wrench length min.-max. I1 mm: 627.00 627.00 Nm
- Actuating force min.-max. kg: 9.8 52.0 kg
- Head Thickness a: 23 mm
- Head Width b: 30 mm

Order Number 6392-320 V