Product data sheet
9023 M-1

EAN-No. 4000896**227112**

4-pieces · 6.3 ¼", 10 ⅜", 6.3 ¼"



Application:
With the open 17 mm inside hexagon it is also possible to work on extra long threads

- Can be used for 6.3 ¼" 10 ⅜" and 6.3 ¼" by replacing the ratchet heads
- Contents:
  Push-through ratchet
  Square socket ¼" (6.3 mm)
  Square socket ⅜ (10 mm)
  Hexagon screwdriver bit socket ¼" (6.3 mm)
- Short design
- Reduced vibrations
- Exhaust air is guided through the handle
- Manual retightening with torque values: 70 Nm
- Air connection inlet: inside thread (IG) 12.91 mm (1/4")
- Coupler plug: Nominal size 7.2 (included)
- Hose diameter (recommended): 10 mm
- Working pressure (bar): 6.3
- Sound power level: 93.8 db(A) Lp W
- Vibration acceleration: 3.20 m/s2
- Forward and reverse: single-stage (right/left)
- Cold insulated handle
- Output: 6.3 ¼", 10 ⅜", 6.3 ¼"
- Dimensions: 159 mm
- Net weight: 0.48 kg
- For impact operation
- Tightening torque maximum [Nm]: 54 Nm
- Sound pressure level: 82.8 dB(A) Lp A
- Revolutions per minute: 400
- Air requirement: 84 l/min (1.4 l/sec)

"Mini" pneumatic tools range

- Innovative 5-slat concept for even more power than conventional drives
- High reliability and continuous operation
- Number of tools: 4

Order Number	9023 M-1
Handle	Cold insulated handle

HAZET-WERK – Hermann Zerver GmbH & Co. KG · 10 04 61 · 42804 Remscheid
Güldenwerther Bahnhofstrasse 25 – 29 · 42857 Remscheid · GERMANY

Product data sheet
9023 M-1 EAN-No. 4000896**227112**



9023M-1-020 • 6.3 1/4"



9023M-1-021 • 10 3/8"



9023M-1-B • 6.3 1/4"

HAZET-WERK – Hermann Zerver GmbH & Co. KG · 10 04 61 · 42804 Remscheid
Güldenwerther Bahnhofstrasse 25 – 29 · 42857 Remscheid · GERMANY