

Product data sheet

9012 EL-SPC

EAN-No. 4000896188444



Loosening torque maximum [Nm]: 1700 Nm · $\frac{125}{16}$ 1/2 · Powerful twin hammer mechanism



- Loosening torque maximum [Nm]: 1700 Nm
- **One-hand operation by changeover on rear of device**
- Exhaust air is guided through the handle downwards
- Reduced vibrations
- Easy handling
- Powerful twin hammer mechanism
- Air connection inlet: inside thread (IG) 12.91 mm (1/4")
- Coupler plug: Nominal size 7.2 (included)
- Recommended torque: 881 Nm
- Hose diameter (recommended): 10 mm
- Working pressure (bar): 6.3
- Sound power level: 109 db(A) Lp W
- Vibration acceleration: 10.23 m/s²
- Loosening torque (maximum) determined with screw size M: 16
- Forward and reverse: four-stage (counterclockwise rotation), single-stage (clockwise rotation)
- Cold insulated handle
- Output: $\frac{125}{16}$ 1/2
- Net weight: 1.98 kg
- For impact operation
- Tightening torque maximum [Nm]: 1054 Nm
- Loosening torque maximum [Nm]: 1700 Nm
- Sound pressure level: 98 dB(A) Lp A
- Revolutions per minute: 8000
- Air requirement: 139 l/min (2.3 l/sec)

Handle	Cold insulated handle
Order Number	9012 EL-SPC