## Product data sheet 6391-35 V EAN-No. 4000896145874



Factory preset value · Length: 183 mm · Torque range min-max: 15 – 35 Nm · Accuracy: 2 % · 🔤 ·



## Application:

Especially suitable for industrial application and use in series production

- · Trigger value preset at the factory as requested
- Accuracy ± 2% (6391-10: 6%) of the preset value (in direction of actuation)

  Can be used for right-hand and left-hand threads by turning the insert tool
- Universally applicable thanks to plug connection, for holding insert tools
- · Permanently adjustable value
- Adjusting the desired torque value with adjustment wrench 6399 in conjunction with HAZET torque tester 7901E · 7902E · 7903E or another suitable device
- All wrenches of this series (HAZET 6391-6392) are without an adjusting scale
- With calibration certificate and serial number
- DIN EN ISO 6789-2:2017
- Made in Germany
- Output: 122
- Dimensions: 183 mmNet weight: 0.29 kg
- For manual operation
- Torque range min-max: 15 35 Nm
- Accuracy: 2 %
- Effective torque wrench length min.-max. I1 mm: 173.00 173.00 Nm
- Actuating force min.-max. kg: 8.8 20.6 kg
- Head Thickness a: 17 mm
- Head Width b: 22 mm

Order Number 6391-35 V