

Product data sheet

176 N-7/292

EAN-No. 4000896270774



292-pieces



Application:

Efficient, mobile organisation of tools

- Tool trolley
- 5 flat and 2 high drawers
- Complete with 292-piece tool assortment in Safety-Insert-System soft foam insert
- High flexibility
- Handle and castors can be mounted either on the left or right
- Practical HAZET design
- Handle strips for a comfortable feel
- Plastic cover with textures and large recessed, fully usable work surface
- Fully sealed work surface protects inside of trolley from leaking liquids
- Bevelled edges prevent damage
- Numerous fixing options
- Accessories, such as HAZET paper bin, can holder, mountable on left and right side
- Rear screw point for mounting additional accessories

Work areas

- Much larger storage and work areas in plastic
- Modern work surface design
- Solvent-resistant work surface protects inside of trolley from leaking liquids
- Work surface border strip prevents parts from falling down

Body / Pull-handle

- Extremely robust design thanks to dual-wall structure
- Complete welded construction of the entire body for tough daily workshop use
- Square perforations on the side panels offer individual fastening options, e.g. for tool hooks of the article group HAZET 112 or other accessories such as can holder, holder for paper reel, paper bin, etc.
- Sturdy handle can be firmly mounted on both sides of the body

Locking concept

- 2-stage locking
 - Central locking, lockable with cylinder lock and 2 folding keys
 - Mutual drawer locking for minimum tilting risk

Drawer concept

- Reciprocal locking of the drawers prevents unwanted opening
- 100 % pull-out with ball-bearing guiding rails

Product data sheet

176 N-7/292

EAN-No. 4000896270774



- Drawer design for optimum use of the interior
- Drawer fronts for optimised handling
- Dirt-resistant drawer coating for easy cleaning

High performance chassis

- Large wheels with high loading capacity, precision ball bearing and dual rounded rim in the pivot bearing, easy manoeuvrability, even with high dynamic load
- 2 swivel castors with dual brake:
 - Braked castors prevent rolling away
 - Braked swivel bearings prevent the swivel castors from turning, e.g. on inclined surfaces
- Protective ring prevents dirt and threads from getting in
- Elastic castors enable smooth movement
- Total loading capacity (dynamic): 480 kg
- Loading capacity (static): 480 kg
- Loading capacity of high drawer: 20 kg
- Colour: HAZET blue
- Dimensions: 780 mm x 498 mm x 1018 mm
- (Drawer) size for plastic drawer insert: 3/3
- Worktop height: 1002 mm
- Number of fixed castors: 2 (Ø 125 mm)
- Number of swivel castors: 2 (Ø 125 mm)
- Number of tools: 292

Order Number

176 N-7/292



176N-7



163-628/32

600N •

7 • 8 • 9 • 10 • 11 • 12 • 13 •
14 • 15 • 16 • 17 • 18 • 19 •
21 • 22 • 24 • 27

606 •

8 • 10 • 12 • 13 • 14 • 15 •
16 • 17 • 18 • 19 • 22



606/4SPC



163-629/100



760-26



798-5



811BHK •

850 • • 1/4"

5 • 5.5 • 6 • 7 • 8 • 9 • 10 •
11 • 12 • 13

850E • • 1/4"

E6 • E7 • E8 • E10 • E12

8501 • • 1/4"

3 • 4 • 5 • 6 • 7 • 8

8502 • • 1/4"

T8 • T10 • T15 • T20 • T25 •
T27 • T30 • T40

8503 • • 1/4"

0.6 x 3.5 • 1.2 x 8

8506 • • 1/4"

PH1 • PH2



858-1 • 3/8" • 1/4"



863HP • 1/4"



863MB • 1/4"



867-2 • 1/4" • 1/4"



867-4 • 1/4" • 1/4"



868 • 1/4" • 1/4"



869 • 1/4" • 1/4"

1802M-22



1841MB-33



2240N/51


2250-1 • 1/4" • 1/4"

2250-2 • 1/4" • 3/8"

2250-4 • 1/4" • 1/2"



2304N • 1/4" • 1/4"



163-630/76

880 • • 3/8"

10 • 11 • 12 • 13 • 14 • 15 •
16 • 17 • 18 • 19

Product data sheet

176 N-7/292

EAN-No. 4000896270774



880LG • • 3/8
10 • 13 • 16 • 17 • 19

880TZ • • 3/8
9



8816HP • 10 3/8



8820 • 10 3/8 • 10 3/8

8821 • 10 3/8 • 10 3/8
8821-1 • 8821-3 • 8821-5 •
8821-10

8858-1 • 12 1/2 • 10 3/8
8858-2 • 6 3/4 • 10 3/8

900 • • 12 1/2
10 • 11 • 12 • 13 • 14 • 15 •
16 • 17 • 18 • 19 • 21 • 22

900E • • 12 1/2
E12 • E14 • E16 • E18 • E20

900Z • • 12 1/2
9 • 24 • 27 • 30 • 36



916HP • 12 1/2

919 • 12 1/2 • 12 1/2
919-1 • 919-5 • 919-10



920 • 12 1/2 • 12 1/2

986 • • 12 1/2
5 • 6 • 7 • 8 • 9 • 10



986SL • • 12 1/2
5 • 6

990 • • 12 1/2
M6 • M8 • M10 • M12 •
M14 • M16 • M18

990LG • • 12 1/2
M8 • M10

992 • • 12 1/2
T30 • T40 • T45 • T50 • T55

992SLG • • 12 1/2
T40 • T45 • T50



163-631/32



811 •
0.4 x 2 • 0.4 x 2.5 • 0.5 x 3 •
0.8 x 4 • 1 x 5.5 • 1.2 x 6.5 •
1.2 x 8



811PH •
PH0 • PH1 • PH2 • PH3



811T •
T20 • T25 • T27 • T30



2105LG/9H •



2116LG/8H •



163-632/27

612N •
10 x 11



666-1



666-5

730-6

746-1

748B
748B-2 • 748B-3 • 748B-4 •
748B-5



799-3

824 •
0.5 x 23



880AKF • • 10 3/8
16 5/8

1951-27



1965-20



1965-21



2131



2140N-50



2530 • • 10 3/8
10



2584-8 • • 10 3/8
8



2784 • • 10 3/8
7



2784 • • 10 3/8
6



4760 • • 10 3/8
8 5/16



4766 • • 10 3/8
14



4850-1

4912 • • 12 1/2
 5,5 x 8 • 5 x 7



4968-2



2128N-1