Product data sheet 6150-1 CT EAN-No. 4000896141067



Length: 1789 mm · Torque range min-max: 400 – 1000 Nm · Accuracy: 3 % · 2 ¾



· For the highest torque values

1000 Nm torque wrench Weight only about 10 kg

- · Actuating force only 590 N (60 kg) at 1000 Nm
- · Length of ratchet shaft: 885 mm, handle: 969 mm
- Accuracy ± 3 % of the scale value (6170-1CT: ± 4 %) (in direction of actuation for right-hand tightening) For left-hand tightening, use our torque wrenches with insert tool
- · For industrial climbers
- Application on wind turbines, dockyards, in the aviation industry and heavy industry, on commercial vehicles etc.
- Dismountable in 2 parts (6170-1CT 3 parts) with release tool
- Bag included for safe storage and for carrying or wearing on your back
- Fast screw tightening also possible with ratchet shaft alone. For torque tightening always use the complete wrench
- · Safety:
 - Haptic (close-gap release)
 - Audible ("click" sound)
- 2-component handle for improved feel
- · Simplified locking for adjusting the torque value
- · Viewing window for visual checking of the locking
- 4 coloured coding rings (red, yellow, green, black) for markings in the case of personalisation or special workflows
- With calibration certificate and serial number
- DIN EN ISO 6789-2:2017, DIN 3120, ISO 1174-1
- Made in Germany
- Output: 20 ¾
- Dimensions / length: 1789 mm
- Net weight: 10 kg
- For manual operation
- Torque range min-max: 400 1000 Nm
- Accuracy: 3 %
- Scale Graduation (Nm): 5 Nm
- Actuating force min.-max. kg: 24.2 61.0 kg
- Number of teeth: 32 (Opening angle 11.25°)
- Head Thickness a: 36 mm
- Head Width b: 77 mm
- No more turning back: Continuous long-term tests on the 5000 series and 6000 series of HAZET torque wrenches have demonstrated that turning them back to the smallest scale value is not required

SYSTEM 6000-1 CT industrial torque wrench \cdot 1 – 2000 Nm \cdot with reversible ratchet \cdot accuracy \pm 2 / 4 %

Product data sheet 6150-1 CT EAN-No. 4000896141067



Order Number 6150-1 CT